

ACOUSTIC



PN

16002
16027
16052
16077
16102
16182

Phosphor Bronze with NANOWEB® Coating

Extra Light
Custom Light
Light
Light/Medium
Medium
HD Light

| E-1 | B-2 | G-3 | D-4 | A-5 | E-6 |
|------|------|------|------|------|------|
| .010 | .014 | .023 | .030 | .039 | .047 |
| .011 | .015 | .022 | .032 | .042 | .052 |
| .012 | .016 | .024 | .032 | .042 | .053 |
| .012 | .016 | .024 | .035 | .045 | .056 |
| .013 | .017 | .026 | .035 | .045 | .056 |
| .013 | .017 | .025 | .032 | .042 | .053 |

16152

12-String Light

| E | B | G | D | A | E |
|------|------|------|------|------|------|
| .010 | .014 | .023 | .030 | .039 | .047 |
| .010 | .014 | .009 | .012 | .018 | .027 |



PN

11002
11027
11052
11077
11102
11182

80/20 Bronze with NANOWEB Coating

Extra Light
Custom Light
Light
Light/Medium
Medium
HD Light

| E-1 | B-2 | G-3 | D-4 | A-5 | E-6 |
|------|------|------|------|------|------|
| .010 | .014 | .023 | .030 | .039 | .047 |
| .011 | .015 | .022 | .032 | .042 | .052 |
| .012 | .016 | .024 | .032 | .042 | .053 |
| .012 | .016 | .024 | .035 | .045 | .056 |
| .013 | .017 | .026 | .035 | .045 | .056 |
| .013 | .017 | .025 | .032 | .042 | .053 |

11306

Baritone

| B-1 | F#-2 | D-3 | A-4 | E-5 | B-6 |
|------|------|------|------|------|------|
| .016 | .022 | .030 | .047 | .059 | .070 |

11308


8-String Baritone

| B-1 | F#-2 | D-3 | A-4 | E-5 | B-6 |
|------|------|------|------|------|------|
| .016 | .022 | .030 | .047 | .059 | .070 |
| | | .012 | .014 | | |

11152

12-String Light

| E | B | G | D | A | E |
|------|------|------|------|------|------|
| .010 | .014 | .023 | .030 | .039 | .047 |
| .010 | .014 | .009 | .012 | .018 | .027 |



PN

11000
11025
11050
11075
11100
11125

80/20 Bronze with POLYWEB® Coating

Extra Light
Custom Light
Light
Light/Medium
Medium
Resonator

| E-1 | B-2 | G-3 | D-4 | A-5 | E-6 |
|------|------|------|------|------|------|
| .010 | .014 | .023 | .030 | .039 | .047 |
| .011 | .015 | .022 | .032 | .042 | .052 |
| .012 | .016 | .024 | .032 | .042 | .053 |
| .012 | .016 | .024 | .035 | .045 | .056 |
| .013 | .017 | .026 | .035 | .045 | .056 |
| .016 | .018 | .028 | .035 | .045 | .056 |

11150

12-String Light

| E | B | G | D | A | E |
|------|------|------|------|------|------|
| .010 | .014 | .023 | .030 | .039 | .047 |
| .010 | .014 | .009 | .012 | .018 | .027 |

ACOUSTIC EVERYDAY 3 PACKS (only North America and Latin America)



PN

16544
16545
16546

Phosphor Bronze with NANOWEB Coating

Custom Light
Light
Medium

| E-1 | B-2 | G-3 | D-4 | A-5 | E-6 |
|------|------|------|------|------|------|
| .011 | .015 | .022 | .032 | .042 | .052 |
| .012 | .016 | .024 | .032 | .042 | .053 |
| .013 | .017 | .026 | .035 | .045 | .056 |



PN

16538
16539

80/20 Bronze with NANOWEB Coating

Custom Light
Light

| | | | | | |
|------|------|------|------|------|------|
| .011 | .015 | .022 | .032 | .042 | .052 |
| .012 | .016 | .024 | .032 | .042 | .053 |

ELECTRIC



PN

19002
19027
19052
19077
19102

Nickel Plated Steel with OPTIWEB® Coating

Super Light
Custom Light
Light
Light/Heavy
Medium

| E-1 | B-2 | G-3 | D-4 | A-5 | E-6 | B-7 | F#-8 |
|------|------|------|------|------|------|-----|------|
| .009 | .011 | .016 | .024 | .032 | .042 | - | - |
| .009 | .011 | .016 | .026 | .036 | .046 | - | - |
| .010 | .013 | .017 | .026 | .036 | .046 | - | - |
| .010 | .013 | .017 | .032 | .042 | .052 | - | - |
| .011 | .014 | .018 | .028 | .038 | .049 | - | - |

19007

7-String Super Light

| | | | | | | | |
|------|------|------|------|------|------|------|---|
| .009 | .011 | .016 | .024 | .032 | .042 | .052 | - |
|------|------|------|------|------|------|------|---|

19057

7-String Light

| | | | | | | | |
|------|------|------|------|------|------|------|---|
| .010 | .013 | .017 | .026 | .036 | .046 | .056 | - |
|------|------|------|------|------|------|------|---|

19062

8-String Light

| | | | | | | | |
|------|------|------|------|------|------|------|------|
| .010 | .013 | .017 | .030 | .042 | .054 | .064 | .074 |
|------|------|------|------|------|------|------|------|

19074

7-String Light/Heavy

| | | | | | | | |
|------|------|------|------|------|------|------|---|
| .010 | .013 | .017 | .026 | .036 | .046 | .059 | - |
|------|------|------|------|------|------|------|---|

19106

7-String Medium

| | | | | | | | |
|------|------|------|------|------|------|------|---|
| .011 | .014 | .018 | .028 | .038 | .049 | .059 | - |
|------|------|------|------|------|------|------|---|

| PN | Description | E-1 | B-2 | G-3 | D-4 | A-5 | E-6 | B-7 | F#-8 |
|-------|---|---|----------|----------|----------|----------|----------|------|------|
| | | Nickel Plated Steel with NANOWEB Coating | | | | | | | |
| 12002 | Super Light | .009 | .011 | .016 | .024 | .032 | .042 | - | - |
| 12027 | Custom Light | .009 | .011 | .016 | .026 | .036 | .046 | - | - |
| 12052 | Light | .010 | .013 | .017 | .026 | .036 | .046 | - | - |
| 12077 | Light/Heavy | .010 | .013 | .017 | .032 | .042 | .052 | - | - |
| 12102 | Medium | .011 | .014 | .018 | .028 | .038 | .049 | - | - |
| 12152 | Heavy | .012 | .016 | .024 | .032 | .042 | .052 | - | - |
| 12302 | Baritone | .012 | .016 | .022 | .038 | .052 | .068 | - | - |
| <hr/> | | | | | | | | | |
| 12007 | 7-String Super Light | .009 | .011 | .016 | .024 | .032 | .042 | .052 | - |
| 12057 | 7-String Light | .010 | .013 | .017 | .026 | .036 | .046 | .056 | - |
| 12062 | 8-String Light | .010 | .013 | .017 | .030 | .042 | .054 | .064 | .074 |
| 12074 | 7-String Light/Heavy | .010 | .013 | .017 | .026 | .036 | .046 | .059 | - |
| 12106 | 7-String Medium | .011 | .014 | .018 | .028 | .038 | .049 | .059 | - |
| 12450 | 12-String Light | E | B | G | D | A | E | | |
| | | .010 | .013 | .017 | .026 | .036 | .046 | | |
| | | .010 | .013 | .009 | .012 | .018 | .026 | | |
| <hr/> | | | | | | | | | |
| PN | Nickel Plated Steel with POLYWEB Coating | | | | | | | | |
| 12000 | Super Light | .009 | .011 | .016 | .024 | .032 | .042 | | |
| 12025 | Custom Light | .009 | .011 | .016 | .026 | .036 | .046 | | |
| 12050 | Light | .010 | .013 | .017 | .026 | .036 | .046 | | |
| 12100 | Medium | .011 | .014 | .018 | .028 | .038 | .049 | | |

ELECTRIC EVERYDAY 3 PACKS
(only North America and Latin America)

| PN | Description | E-1 | B-2 | G-3 | D-4 | A-5 | E-6 |
|-------|--|---|------|------|------|------|------|
| | | Nickel Plated Steel with NANOWEB Coating | | | | | |
| 16540 | Super Light | .009 | .011 | .016 | .024 | .032 | .042 |
| 16542 | Light | .010 | .013 | .017 | .026 | .036 | .046 |
| <hr/> | | | | | | | |
| PN | Nickel Plated Steel with OPTIWEB® Coating | | | | | | |
| 16550 | Super Light | .009 | .011 | .016 | .024 | .032 | .042 |
| 16552 | Light | .010 | .013 | .017 | .026 | .036 | .046 |

ELECTRIC BASS

| PN | Description | G-1 | D-2 | A-3 | E-4 | B-5 | C-6 |
|-------|---|--|------|------|------|------|-----|
| | | Nickel Plated Steel with NANOWEB® Coating | | | | | |
| 14002 | 4-String Super Light, Long Scale | .040 | .060 | .075 | .095 | - | - |
| 14052 | 4-String Light, Long Scale | .045 | .065 | .080 | .100 | - | - |
| 14077 | 4-String Light/Medium, Long Scale | .045 | .065 | .085 | .105 | - | - |
| 14087 | 4-String Light/Medium, Extra Long Scale | .045 | .065 | .085 | .105 | - | - |
| 14102 | 4-String Medium, Long Scale | .050 | .070 | .085 | .105 | - | - |
| 14202 | 5-String Light, Long Scale | .045 | .065 | .085 | .105 | .130 | - |
| 14207 | 5-String Light/Medium, Long Scale | .045 | .065 | .085 | .105 | .135 | - |
| <hr/> | | | | | | | |
| PN | Stainless Steel with NANOWEB Coating | | | | | | |
| 14652 | 4-String Light, Long Scale | .045 | .065 | .080 | .100 | - | - |
| 14677 | 4-String Light/Medium, Long Scale | .045 | .065 | .085 | .105 | - | - |
| 14702 | 4-String Medium, Long Scale | .050 | .070 | .085 | .105 | - | - |
| 14777 | 5-String Light, Long Scale | .045 | .065 | .085 | .105 | .130 | - |
| 14782 | 5-String Light/Medium, Long Scale | .045 | .065 | .085 | .105 | .135 | - |

ELECTRIC BASS 5th & 6th STRING SINGLES

| PN | Description | G-1 | D-2 | A-3 | E-4 | B-5 | C-6 |
|-------|---|---|-----|-----|-----|--------|------|
| | | Nickel Plated Steel with NANOWEB Coating Custom 5th and 6th String Singles | | | | | |
| 15332 | Medium C | - | - | - | - | - | .032 |
| 15425 | Super Light B, Long Scale | - | - | - | - | .125 | - |
| 15430 | Light B, Long Scale | - | - | - | - | .130 | - |
| 15432 | Light B, Long Scale TaperWound | - | - | - | - | .130tw | - |
| 15433 | Light B, Extra Long Scale, TaperWound | - | - | - | - | .130tw | - |
| 15435 | Medium B, Long Scale | - | - | - | - | .135 | - |
| <hr/> | | | | | | | |
| PN | Stainless Steel with NANOWEB Coating Custom 5th String Singles | | | | | | |
| 13426 | Super Light B, Long Scale | - | - | - | - | .125 | - |
| 13436 | Light B, Long Scale | - | - | - | - | .130 | - |

ACOUSTIC BASS

| PN | Description | G-1 | D-2 | A-3 | E-4 | B-5 | C-6 |
|-------|--|------|------|------|------|-----|-----|
| 14502 | 80/20 Bronze with NANOWEB Coating 4-String Light, Long Scale | .045 | .065 | .080 | .100 | - | - |

SINGLE STRINGS

Anti-Rust Plain Steel

| PN | Gauge | PN | Gauge |
|-------|-------|-------|-------|
| 13009 | .009 | 13015 | .015 |
| 13010 | .010 | 13016 | .016 |
| 13011 | .011 | 13017 | .017 |
| 13012 | .012 | 13018 | .018 |
| 13013 | .013 | 13022 | .022 |
| 13014 | .014 | | |

Acoustic 80/20 Bronze with

| NANOWEB Coating | POLYWEB Coating | | Gauge |
|-----------------|-----------------|--|-------|
| PN | PN | | |
| 15122 | 13122 | | .022 |
| 15123 | 13123 | | .023 |
| 15124 | 13124 | | .024 |
| 15125 | - | | .025 |
| 15126 | 13126 | | .026 |
| 15127 | 13127 | | .027 |
| 15128 | 13128 | | .028 |
| 15130 | 13130 | | .030 |
| 15132 | 13132 | | .032 |
| 15135 | 13135 | | .035 |
| 15139 | 13139 | | .039 |
| 15142 | 13142 | | .042 |
| 15145 | 13145 | | .045 |
| 15147 | 13147 | | .047 |
| 15152 | 13152 | | .052 |
| 15153 | 13153 | | .053 |
| 15156 | 13156 | | .056 |
| 15159 | 13159 | | .059 |
| 15170 | - | | .070 |

Acoustic Phosphor Bronze with

| NANOWEB Coating | | Gauge |
|-----------------|--|-------|
| PN | | |
| 14122 | | .022 |
| 14123 | | .023 |
| 14124 | | .024 |
| 14125 | | .025 |
| 14126 | | .026 |
| 14127 | | .027 |
| 14130 | | .030 |
| 14132 | | .032 |
| 14135 | | .035 |
| 14139 | | .039 |
| 14142 | | .042 |
| 14145 | | .045 |
| 14147 | | .047 |
| 14152 | | .052 |
| 14153 | | .053 |
| 14156 | | .056 |

Electric Nickel Plated Steel with

| NANOWEB® Coating | POLYWEB® Coating | OPTIWEB® Coating | Gauge |
|------------------|------------------|------------------|-------|
| PN | PN | PN | |
| 15224 | 13224 | 16224 | .024 |
| 15226 | 13226 | 16226 | .026 |
| 15228 | 13228 | 16228 | .028 |
| 15230 | - | 16230 | .030 |
| 15232 | 13232 | 16232 | .032 |
| 15236 | 13236 | 16236 | .036 |
| 15238 | 13238 | 16238 | .038 |
| 15242 | 13242 | 16242 | .042 |
| 15246 | 13246 | 16246 | .046 |
| 15249 | 13249 | 16249 | .049 |
| 15252 | - | 16252 | .052 |
| 15254 | - | 16254 | .054 |
| 15256 | - | 16256 | .056 |
| 15259 | - | 16259 | .059 |
| 15260 | - | 16260 | .060 |
| 15262 | - | 16262 | .062 |
| 15264 | - | 16264 | .064 |
| 15268 | - | - | .068 |
| 15274 | - | 16274 | .074 |
| 15280 | - | 16280 | .080 |

Electric Bass Nickel Plated Steel with

| NANOWEB Coating | Gauge |
|-----------------|-----------|
| PN | |
| 15332 | .032 |
| 15340 | .040 |
| 15345 | .045 |
| 15350 | .050 |
| 15360 | .060 |
| 15365 | .065 |
| 15370 | .070 |
| 15375 | .075 |
| 15380 | .080 |
| 15385 | .085 |
| 15395 | .095 |
| 15400 | .100 L |
| 15405 | .105 L |
| 15406 | .105 XL |
| 15425 | .125 L |
| 15430 | .130 L |
| 15431 | .130 XL |
| 15432 | .130tw L |
| 15433 | .130tw XL |
| 15435 | .135 L |

Electric Bass Stainless Steel with

| NANOWEB Coating | Gauge |
|-----------------|--------|
| PN | |
| 13346 | .045 |
| 13366 | .065 |
| 13381 | .080 |
| 13386 | .085 |
| 13402 | .100 L |
| 13407 | .105 L |
| 13426 | .125 L |
| 13436 | .130 L |
| 13437 | .135 L |

Acoustic Bass 80/20 Bronze with

| NANOWEB Coating | Gauge |
|-----------------|--------|
| PN | |
| 15745 | .045 |
| 15765 | .065 |
| 15780 | .080 |
| 15800 | .100 L |
| 15825 | .125 L |

MINI BULK LISTING

Acoustic Phosphor Bronze with NANOWEB® Coating

| Description | Part No. 25 Sets | Part No. 50 Sets | Part No. 100 Sets |
|----------------------|---------------------|---------------------|----------------------|
| Extra Light (10-47) | 16005 | 16003 | 16004 |
| Custom Light (11-52) | 16026 | 16028 | 16029 |
| Light (12-53) | 16057 | 16053 | 16054 |
| Medium (13-56) | 16105 | 16103 | 16104 |

Electric Nickel Plated Steel with OPTIWEB® Coating

| Description | Part No. 25 Sets | Part No. 50 Sets | Part No. 100 Sets |
|----------------------|---------------------|---------------------|----------------------|
| Super Light (09-42) | 19005 | 19004 | 19003 |
| Custom Light (09-46) | 19025 | 19029 | 19028 |
| Light (10-46) | 19055 | 19054 | 19053 |
| Light/Heavy (10-52) | 19075 | 19079 | 19078 |
| Medium (11-49) | 19105 | 19104 | 19103 |

Acoustic 80/20 Bronze with NANOWEB Coating

| Description | Part No. 25 Sets | Part No. 50 Sets | Part No. 100 Sets |
|----------------------|---------------------|---------------------|----------------------|
| Custom Light (11-52) | 11026 | 11029 | 11028 |
| Light (12-53) | 11057 | 11054 | 11053 |

Electric Nickel Plated Steel with NANOWEB Coating

| Description | Part No. 25 Sets | Part No. 50 Sets | Part No. 100 Sets |
|---------------------|---------------------|---------------------|----------------------|
| Super Light (09-42) | 12005 | 12004 | 12003 |
| Light (10-46) | 12055 | 12054 | 12053 |

Acoustic 80/20 Bronze with POLYWEB® Coating

| Description | Part No. 25 Sets | Part No. 50 Sets | Part No. 100 Sets |
|---------------|---------------------|---------------------|----------------------|
| Light (12-53) | 11058 | 11055 | 11051 |

Electric Bass Nickel Plated Steel with NANOWEB Coating

| Description | Part No. 25 Sets | Part No. 50 Sets | Part No. 100 Sets |
|---|---------------------|----------------------------|----------------------|
| 4-String Light/ Medium, Long Scale (45-105) | 14078 | - bass only offered 25 set | |

Electric Bass Stainless Steel with NANOWEB Coating

| Description | Part No. 25 Sets | Part No. 50 Sets | Part No. 100 Sets |
|---|---------------------|----------------------------|----------------------|
| 4-String Light/ Medium, Long Scale (45-105) | 14678 | - bass only offered 25 set | |

With the purchase of Mini Bulk sets, you agree to display the provided hang tags and/or clings on the guitars and not to repackage the strings for individual resale.

CUSTOMER SERVICE INFORMATION

United States & Other Regions

W. L. Gore & Associates, Inc.
201 Airport Road
Elkton, MD 21921

Email: esorders@wlgore.com

Phone: +1 800 367 5533 (USA only)
Fax: +1 410 506 7692

Europe

W. L. Gore & Associates GmbH
Hermann-Oberth-Str. 26
D-85640 Putzbrunn - Germany

Email: elixirorders@wlgore.com

Telefon: +49 89 4612 2242
Telefax: +49 89 4612 42287

